Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 18 of 27







PROTOCOL

EPA Hard Surface Mildew-Fungistatic Test

Test Organism:

Aspergillus niger (ATCC 6275)

PROTOCOL NUMBER

RU001040416.MSTAT

PREPARED FOR

Rust-Oleum 11 Hawthorne Parkway Vernon Hills, IL 60061

SPONSOR REPRESENTATIVE

Haley & Aldrich 455 E. Eisenhower Pkwy, Suite 210 Ann Arbor, MI 48108-3323

PERFORMING LABORATORY

Accuratus Lab Services 1285 Corporate Center Drive, Sulte 110 Eagan, MN 55121

DATE

April 4, 2016

PROPRIETARY INFORMATION

THIS DOCUMENT IS THE PROPERTY OF AND CONTAINS PROPRIETARY INFORMATION OF ACCURATUS LAB SERVICES. NEITHER THIS DOCUMENT, NOR INFORMATION CONTAINED HEREIN IS TO BE REPRODUCED OR DISCLOSED TO OTHERS, IN WHOLE OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN THE PERFORMANCE OF THIS WORK ON BEHALF OF THE SPONSOR, WITHOUT PRIOR WRITTEN PERMISSION OF ACCURATUS LAB SERVICES.

Template, 225-10

Page 1 of 10

1285 Corporale Center Drive, Suite 110 • Fagan, MN 55121 • 677,267,8378 • 651,379,5510 • Fax; 661,379,5549

EXACT COPY
INITIALS JUH DATE 5-24-16

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 19 of 27



Protocol Number: RUC01040416.MSTAT

Rust-Oleum Page 2 of 10



EPA Hard Surface Mildew-Fungistatic Test

SPONSOR:

Rust-Oleum

11 Hawthorne Parkway Vernon Hills, IL 60061

SPONSOR

HALFY & ALDRICH

REPRESENTATIVE:

455 E. Elsenhower Pkwy, Suite 210 Ann Arbor, MI 48108-3323

TEST FACILITY:

Accuratus Lab Services 1285 Corporate Center Drive, Suite 110 Eagan, MN 55121

PURPOSE

The purpose of this study is to demonstrate fungistatic effectiveness of products intended for use to control, prevent, or inhibit the growth of fungi which cause mildew on various hard surfaces.

TEST SUBSTANCE CHARACTERIZATION
According to (40 CFR, Part 160, Subpart F [160,105]) test substance characterization as to identity, strength, purity, According to (au CPK, Par 160, Suppart P 100, 105) test substance characterization as to identify, siterifyin, putify, solubility and composition, as applicable, shall be documented before its use in this study. The stability of the test substance shall be determined prior to or concurrently with this study. Pertinent information, which may affect the outcome of this study, shall be communicated in writing to the Study Director upon sample submission to Accuratus Lab Services. Accuratus Lab Services will append Sponsor-provided Certificates of Analysis (C of A) to this study report, if requested and supplied. Characterization and stability studies not performed following GLP regulations will be control by the Sport Laboratory Practice compliance statement. noted in the Good Laboratory Practice compliance statement.

SCHEDULING AND DISCLAIMER OF WARRANTY

Experimental start dates are generally scheduled on a first-come/first-serve basis once Accuratus Lab Services receives the Sponsor approved/completed protocol, signed fee schedule and corresponding test substance(s). Based on all required materials being received at this time, the proposed experimental start date is April 16, 2016. Verbal results may be given upon completion of the study with a written report to follow on the proposed completion date of May 16, To expedite scheduling, please be sure all required paperwork and test substance documentation is complete/accurate upon arrival at Accuratus Lab Services.

If a test must be repeated, or a portion of it, due to failure by Accuratus Lab Services to adhere to specified procedures. It will be repeated free of charge. If a test must be repeated, or a portion of it, due to fallure of internal controls, it will be repeated free of charge. "Methods Development" fees shall be assessed, however, if the test substance and/or test system require modifications due to complexity and difficulty of testing.

If the Sponsor requests a repeat test, they will be charged for an additional test.

Neither the name of Accuratus Lab Services nor any of its employees are to be used in advertising or other promotion without written consent from Accuratus Lab Services.

The Sponsor is responsible for any rejection of the final report by the regulatory agencies concerning report format pagination, etc. To prevent rejection, Sponsor should carefully review the Accuratus Lab Services final report and notify Accuratus Lab Services of any perceived deficiencies in these areas before submission of the report to the regulatory agency. Accuratus Lab Services will make reasonable changes deemed necessary by the Sponsor, without aftering the technical data.

JUSTIFICATION FOR SELECTION OF THE TEST SYSTEM

The U.S. Environmental Protection Agency requires that a specific claim for a fungistat be supported by appropriate scientific data demonstrating the efficacy of the test substance against the claimed microorganism. This is accomplished, in the laboratory, by treating the target organism with the fungistat (test substance) under conditions which simulate as closely as possible the actual conditions under which the test substance is designed to be used. The test system to be used in this study will follow the EPA approved Hard Surface Mildew Fungistatic test method as specified in the EPA Pesticide Assessment Guidelines Subdivision G.

Template: 225-1G

- Proprietary Information -

1265 Corporate Center Drive, Sulte 110 . Eagan, MN 55121 . 677 287.8378 . 651,379.5510 . Fex: 651,379.5549

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 20 of 27



Protocol Number: RU001040416.MSTAT

Rust-Oleum Page 3 of 10



TEST PRINCIPLE

Sterile carriers are treated with the test substance and incubated until dry. The carriers are then sprayed with a spore suspension of a mildew causing organism and incubated at high humidity. Following incubation, the carriers are visually examined for the presence of test organism. Appropriate culture purity and sterility controls are performed. The current version of Standard Operating Procedure CGT-0042 reflects the methods which shall be used in this study.

TEST METHOD

1	Test Organism	ATCC#	Growth Medium	incubation Parameters
	Aspergillus niger	6275	Sabouraud agar (modified)	25-30°C, aerobic

The test organism used in this study was obtained from the American Type Culture Collection (ATCC), Manassas, Virginia.

Carders

Glazed ceramic tiles: 1 inch x 1 inch carriers, sterllized for ≥ 2 hours at ≥180°C in hot air oven.

Preparation of Test Substance

The test substance(s) to be assayed will be used as directed by the Sponsor. If a dilution of the test substance is requested by the Sponsor, the diluted test substance(s) shall be used within three hours of preparation.

Test Substance Application

If the product is a spray application, the surfaces of 10 carriers will be sprayed as specified by the Sponsor.

If the product is a liquid application, the surfaces of 10 carriers will be treated by immersing the carriers in the test substance until completely covered and will be removed.

If the product is a towelette application, the glazed area of the carriers will be treated with the towelette in a motion described by the Sponsor.

Treated carriers will be placed in a vertical or near vertical position to permit excess liquid to drain. The carriers will be dried in Petril dishes at 35-37°C with fids ajar.

Control Carriers

Untreated carriers will be placed in sterile Petri dishes (10 carriers total) and dried at 35-37°C with Ilds ajar alongside the lest carriers.

Preparation of Test Organism

The Aspergillus niger conidial suspension will be prepared by inoculating a flask of Sabouraud agar (Modified) (ake Neopeptone agar) and incubating for 7-10 days at 25-30°C. Following incubation, sterile saline or saline/Triton Solution (0.85% Saline + 0.05% Triton X-100) and sterile glass beads are added to the flask. The flask is aglitated to remove mycella/conidia from the agar. The conidia suspension is aspirated from the flask and passed through sterile gauze to remove hyphal fragments. The conidial concentration is estimated by counting in a hemacytometer. The suspension will be added to a sterile itssue grinder and macerated to break up spore chains. This may be performed at the time of harvest or on the day of testing.

The macerated conidlal suspension will be standardized to contain an approximate target of 5 x 10^s conidia per mL. One (1.0) mL of this suspension is added to 20.0 mL of sterile Czapek's solution. An organic soil load may be added to the prepared Czapek/organism suspension per Sponsor's request.

Contamination of Carriers

Following the Initial drying period, an atomizer will be used to spray the surface of each test carrier and control carrier with the Aspergillus niger conidia-Czapek suspension. The atomizer will be periodically shaken to agitate the culture during inoculation. Carriers contained in Petri dishes will be returned to 35-37°C incubator and dried with the lids slightly ajar until visibly dry. Excessive drying should be avoided. Typically, carriers will be dry after approximately 45 minutes of drying.

Template: 225-1G

-Propiletary Information -

1285 Corporate Center Drive, Suite 110 • Eagan, MN 55121 • 877.287.8378 • 851,379 5510 • Fax; 851 379.5549

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 21 of 27



Protocol Number: RU001040416.MSTAT

Rust-Oleum Page 4 of 10



Incubation

Each carrier (sprayed side up) will be placed onto an individual water agar plate. All plates are incubated for 7 days at 25-30°C in a minimum of 95% relative humidity. (A desiccator containing approximately 100 mL of delonized water is recommended.) Refrigeration of test/control carriers is not allowed following incubation unless otherwise noted.

Evaluation

The purity control will be incubated for 44-76 hours at 25-30°C and may be refrigerated for up to 3 days at 2-8°C prior to examination. All test and control carriers will be examined after 7 days of incubation. The absence of fungal growth on all carriers is the ortlerion for determining the effectiveness of the test product. When no visual growth is evident at the end of the 7 days on test carriers, a magnified examination is performed. To be considered a valid test, each untreated control carrier must be at least 50% covered with fungal growth after the 7 days. At least one test carrier per test substance sample set showing growth will be confirmed as the test organism by Lactophenol cotton blue (tape) staining. Remaining test carriers demonstrating growth morphology consistent with the confirmed carrier will be considered confirmed as the test organism.

STUDY CONTROLS

Purity Control

A "streak plate for Isolation" will be performed on the organism culture. Following incubation, the culture is examined in order to confirm the presence of a pure culture. The acceptance criterion for this study control is a pure culture demonstrating colony morphology typical of the test organism.

Carrier Sterility Control

A representative uninoculated carrier will be added to a water agar plate, The carrier will be incubated and examined for growth. The acceptance criterion for this study control is lack of growth.

Agar Sterility Control

A representative sample of uninoculated water agar will be incubated and visually examined. The acceptance criterion for this study control is lack of growth.

Organic Soil Load Sterillty Control

If applicable, the serum used for soll load will be added to a tube of Fluid Thioglycollate Medium, incubated alongside the test, and visually examined for lack of growth. The acceptance criterion for this study control is lack of growth.

PROCEDURE FOR IDENTIFICATION OF THE TEST SYSTEM

Accuratus Lab Services maintains Standard Operating Procedures (SOPs) relative to efficacy testing studies. Efficacy testing is performed in strict adherence to these SOPs which have been constructed to cover all aspects of the work including, but not limited to, receipt, log-in, and tracking of biological reagents including test organism strains for purposes of identification, receipt and use of chemical reagents. These procedures are designed to document each slep of efficacy testing studies. Appropriate references to medium, batch number, etc. are documented in the raw data collected during the course of each study.

Additionally, each efficacy test is assigned a unique Project Number when the protocol for the study is initiated by the Study Director. This number is used for Identification of the test subcultures, etc. during the course of the test. Test subcultures are also labeled with reference to the test organism, experimental start date, and test product. Microscopic and/or macroscopic evaluations of positive subcultures are performed in order to confirm the identity of the test organism. These measures are designed to document the identity of the test system.

METHOD FOR CONTROL OF BIAS: NA

STUDY ACCEPTANCE CRITERIA

Test Substance Performance Criteria

The EPA efficacy performance requirements for label claims state that all treated replicates must be free of fungal growth.

Template: 225-1G

- Proprietary Information -

1286 Corporate Center Drive, Sulle 110 • Eegen, MN 65121 • 877,287,8378 • 851,379 5510 • Feix 651,379,5549

Protocol Number: RU001040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 22 of 27



Protocol Number: RU001040416.MSTAT

Rusi-Oleum Page 5 of 10



Control Acceptance Criteria

The study controls must perform according to the criteria detailed in the evaluation section and the study controls description section. If any of the control acceptance criteria are not met, the test may be repeated under the current protocol number.

REPORT

The report will include, but not be limited to, identification of the sample, date received, initiation and completion dates, identification of the pacterial strains used, description of media and reagents, description of the methods employed, tabulated results and conclusion as it relates to the purpose of the test, and all other items required by 40 CFR Part 160, 185.

PROTOCOL CHANGES
If it becomes necessary to make changes in the approved protocol, the revision and reasons for change will be support and will become a part of the permanent file for that study. Similarly, the Sponsor will be notified as soon as possible whenever an event occurs that may have an effect on the validity of the study.

Standard operating procedures used in this study will be the current effective revision at the time of the work. Any minor changes to SOPs (for this study) or methods used will be documented in the raw date and approved by the Study Director

TEST SUBSTANCE RETENTION

It is the responsibility of the Sponsor to retain a sample of the test substance. All unused test substance will be discarded following study completion unless otherwise indicated by Sponsor.

RECORD RETENTION

Study Specific Documents

All of the original raw data developed exclusively for this study shall be archived at Accuratus Lab Services for a minimum of five years for GLP studies or a minimum of six months for all other studies following the study completion date. After this time, the Sponsor (or the Sponsor Representative, if applicable) will be contacted to determine the final disposition. These original data include, but are not limited to, the following:

- 1. All handwritten raw data for control and test substances including, but not ilmited to, notebooks, data forms and calculations.
- Any protocol amendments/deviation notifications.
- All measured data used in formulating the final report.
- Memoranda, specifications, and other study specific correspondence relating to interpretation and evaluation of data, other than those documents contained in the final study report.
- Original signed protocol.
- Certified copy of final study report.
 Study-specific SOP deviations made during the study.

Template: 225-1G

Proprietary Information -

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 23 of 27



Protocol Number: RUQ01040416.MSTAT

Rust-Oleum Page 6 of 10



Facility Specific Documents

The following records shall also be archived at Accuratus Lab Services. These documents include, but are not limited to, the following:

- 1. SOPs which pertain to the study conducted.
- 2. Non study-specific SOP deviations made during the course of this study which may affect the results obtained during this study.

 Methods which were used or referenced in the study conducted.

 QA reports for each QA inspection with comments.

 Facility Records: Temperature Logs (ambient, incubator, etc.), instrument Logs, Calibration and

- Maintenance Records.
- Current curriculum vitae, training records, and job descriptions for all personnel involved in the study. 6.

REFERENCE

U.S. Environmental Protection Agency Pesticide Assessment Guidelines, Subdivision G: Product Performance, November, 1982, Section 93-30, I. Surfaces (Mold and Mildew), Item 2, Hard Surface Mildew Fungistatic Test Method.

DATA ANALYSIS

Calculations None used.

Statistical Analysis None used.

Template: 225-1G

- Proprietary Information -

1285 Corporate Conter Drive, Suite 110 · Eagan, MN 55121 · 677.287.8378 · 651 379.5310 · Fex: 651.379.5548

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 24 of 27



Protocol Number: RU001040416.8	ISTAT	Rust-Oleum Page 7 of 10	ACCURATUS LAB SERVICES
(All blank sections are completed by	STUDY INFORMA	TION	A Almanda and a second a second and a second a second and
Test Substance (Name and Batc	h/Lot Number - exactly as It e	hould appear on the	got reneally
Mold Killing Primer Acros	ol-Lot a dosed Book 6	00-075 (3) 1	Book 600-075
Product Description:			
☐ Quaternary ammonia	☐ Peracetic acld		
lodophor	☐ Peroxide		1 (17870)
☐ Sodium hypochlorite			carbamade (IPBC)
Approximate Test Substance Act			
This value is used for study planning	only. This value is not intended to	represent character	ization values.)
Storage Conditions			
Room Temperature			
☐ 2-8°C ☐ Other			
G Other			
lazards			
☐ None known: Use Standard	Precautions		
Material Safety Data Sheet	Attached for each product		
As Follows:			
Product Preparation			
No dilution required, Use as	received (RTU)		
*Dilution(s) to be tested:	(Day 1922) Surface State		
Z	defined as	+	
□ Dalonized Water (Filter of	(amount of test subs	tance) (amount	of diluent)
☐ Soft Tap Water (Filter or	Autoclaro Sterilized)		
☐ AOAC Synthetic Hard W	aler: PPM		
Other Shake well	Democe 1150		
*Note: An equivalent dilution	may be made unless otherwi	se requested by th	e Sponsor.
est Organism: <u>Aspergillus nige</u>	(ATCC 6275)		
est Substance Application:		_	
• •		Ø	
	ne or until thoroughly	wet wet	
Number of sprays per carrier:	Gree. or Spri	ay time per carrier: _	seconda
Approximate Spray distance:	8-15,		
Liquid Application: Immerse	carriers in test substance		
Towelette application:	pical: Each carrier will be treate	ed by wining the glass	and area with the townstatte
and b	ack, (#) times for a t	otal of the	nasses per surface. (Le aver
and b	ack 2 times equals a total of 4	passes)	passes per surrace. (i.e. 0ver
□ Ot		1/175/100%(D #]]	
ganic Soll Load:	v- va		
Minimum 5% Organic Soil Lo	oad (fetal bovine serum)		
☐ No Organic Soil Load Requir ☐ Other	ed		
- Onlei			
Spelling error. JLH 4-20-16	,		
. 2000			
nplate: 225-IG	- Despriate ou information		

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 25 of 27



Protocol Number: RU001040416.MSTAT

Rust-Oleum Page 8 of 10



TEST SUBSTANCE SHIPMENT STATUS
(This section is for informational purposes only.)

Test Substance is already present at Accuratus Lab Services.

 ☑ Test Substance has been or will be shipped to Accuratus Lab Services.
 Date of expected receipt at Accuratus Lab Services: April 11, 2016
 ☐ Test Substance to be hand-delivered (must arrive by noon at least one day prior to testing or other arrangements made with the Study director)

COMPLIANCE

Study to be performed under EPA Good Laboratory Practice regulations (40 CFR Part 160) and in accordance to standard operating procedures.

☐ No (Non-GLP or Development Study)

PROTOCOL MODIFICATIONS

Approved without modification

Approved with modification
In addition to the standard 2 lot test, one lot of control material will be tested using 3 test carriers. The results of the control lot will be for informational purposes only and will have no acceptance criteria.

PROTOCOL ATTACHMENTS

Supplemental Information Form Attached - □ Yes ☑ No

Template: 225-1G

- Proprietary Information -

1285 Corporate Center Drive, Suite 110 • Eagan, MN 55121 • 877.287.8378 • 851.378.5510 • Fax: 651,378.5549

Protocol Number: RUO01040416.MSTAT

Protocol Number: RU001040416.MSTAT

Amended Report: May 24, 2016

Template: 225-1G

Rust-Oleum Page 26 of 27

Rust-Oleum

Page 9 of 10



ACCURATUS

LAR SERVICES

TEST SUBSTANCE CHARACTERIZATION & STABILITY TESTING [Verification required per 40 CFR Part 160 Subpart B (160.31(d))]. Characterization/Stability testing is not required (For Non-GLP or Development testing only) OR Physical and Chemical Characterization (Identity, purity, strength, solubility, as applicable) of the test lots ☑ Physical & Chemical Characterization has been or will be completed prior to efficacy testing. GLP compliance status of physical & chemical characterization testing:

Testing was or will be performed following 40 CFR Part 160 GLP regulations ☐ Characterization has not been or will not be performed following GLP regulations Check and complete the following that apply:
 A Certificate of Analysis (C of A) has been or will be provided for each lot of test substance to be appended to the report. ☐ Testing has been or will be conducted at Accuratus Lab Services under protocol or study #: Test has been or will be conducted by another facility under protocol or study #: ☐ Physical & Chemical Characterization was not or will not be performed prior to efficacy testing. Stability Testing of the formulation 0 × Stability testing has been or will be completed prior to or concurrent with efficacy testing. GLP compliance status of stability testing: (GLP compliance is required by 40 CFR Part 160)

Testing was or will be performed following 40 CFR Part 180 GLP regulations Stability testing has not been or will not be performed following GLP regulations Check and complete the following that apply:

☐ Testing has been or will be conducted at Accuratus Lab Services under protocol or study #: ☐ Test has been or will be conducted by another facility under protocol or study # Product Southy Labs Study # 42075 (dated 1/5/2016) Stability testing was not or will not be performed prior to or concurrent with efficacy testing. If test substance characterization or stability testing information is not provided or is not performed following GLP regulations, this will be indicated in the GLP compliance statement of the final report. OAdded per email. JLH 4-19-16

- Proprietary Information -1285 Corporate Center Drive, Suite 110 • Eagan, MN 55121 • 877,287,8376 • 851,379,5510 • Fax: 851,379 5549

Protocol Number: RUO01040416.MSTAT

Amended Report: May 24, 2016

Rust-Oleum Page 27 of 27



Protocol Number: RU001040416.MSTAT	Rust-Oleum Page 10 of 10	ACCURATUS LAB SERVICES
APPROVAL SIGNATURES		
SPONSOR:		
NAME: Ms. Maryann Sanders	TITLE:	aent
SIGNATURE: Mayou Sounder	DATE: 4	115/2016
957 PHONE: (248) 662-3926 FAX: (734) 877 - 8425	_ EMAIL: _ms	anders@HaleyAldrich.com
For contidentiality purposes, study information will be released of protocol (above) unless other individuals are specifically authority	only to the sponsor ized in writing to rec	frapresentative signing the caive study information.
Other Individuals authorized to receive information regards	ng this study:	☐ See Attached
Accuratus Lab Services;		
NAME: Jamie Herzan Study Director		
SIGNATURE: Jamie Herzau	DA	re: 4-22-16

Template: 225-1G

- Proprietary Information -